



All Databases

PubMed

Nucleotide

Protein

Genome

Structure

OMIM

PMC

Journals

Books

Search **PubMed** for **5T4** **Go** **Clear** **Save Search**

☒ Limits

Preview/Index

History

Clipboard

Details

Limits: **Entrez Date to 2001/07/01**

Display **Summary** Show **20** Sort by Send to

All: 26

Review: 0

Items 1 - 20 of 26

Page **1** of 2 Next

About Entrez
NCBI Toolbar

Text Version

Entrez PubMed

Overview
Help | FAQ
Tutorials
New/Noteworthy
E-Utilities

PubMed Services

Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
Special Queries
LinkOut
My NCBI

Related Resources

Order Documents
NLM Mobile
NLM Catalog
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

☐ **1:** Ali A, Langdon J, Stern P, Partridge M.

Related Articles, Links



The pattern of expression of the 5T4 oncofoetal antigen on normal, dysplastic and malignant oral mucosa.

Oral Oncol. 2001 Jan;37(1):57-64.

PMID: 11120484 [PubMed - indexed for MEDLINE]

☐ **2:** Shaw DM, Embleton MJ, Westwater C, Ryan MG, Myers KA, Kingsman SM, Carroll MW, Stern PL.

Related Articles, Links



Isolation of a high affinity scFv from a monoclonal antibody recognising the oncofoetal antigen 5T4.

Biochim Biophys Acta. 2000 Dec 15;1524(2-3):238-46.

PMID: 11113573 [PubMed - indexed for MEDLINE]

☐ **3:** Kieffer SW, Lopes-Gautier R, McEwen A, Smythe W, Keszthelyi L, Carlson R.

Related Articles, Links



Prometheus: Io's wandering plume.

Science. 2000 May 19;288(5469):1204-8.

PMID: 10817989 [PubMed - indexed for MEDLINE]

☐ **4:** Lang SH, Clarke NW, George NJ, Testa NG.

Related Articles, Links



Scatter factor influences the formation of prostate epithelial cell colonies on bone marrow stroma in vitro.

Clin Exp Metastasis. 1999 Jun;17(4):333-40.

PMID: 10545020 [PubMed - indexed for MEDLINE]

☐ **5:** King KW, Sheppard FC, Westwater C, Stern PL, Myers KA.

Related Articles, Links



Organisation of the mouse and human 5T4 oncofoetal leucine-rich glycoprotein genes and expression in foetal and adult murine tissues.

Biochim Biophys Acta. 1999 Jun 9;1445(3):257-70.

PMID: 10366710 [PubMed - indexed for MEDLINE]

☐ **6:** Starzynska T, Wiechowska-Kozłowska A, Marlicz K, Bromley M, Roberts SA, Lawniczak M, Kolodziej B, Zyluk A, Stern PL.

Related Articles, Links



5T4 oncofetal antigen in gastric carcinoma and its clinical significance.

Eur J Gastroenterol Hepatol. 1998 Jun;10(6):479-84.

PMID: 9855063 [PubMed - indexed for MEDLINE]

☐ **7:** Mulder WM, Stern PL, Stukart MJ, de Windt E, Butzelaar RM, Meijer S, Ader HJ, Claessen AM, Vermorken JB, Meijer CJ, Wagstaff J, Scheper RJ, Bloemena E.

Related Articles, Links












Low intercellular adhesion molecule 1 and high 5T4 expression on tumor cells correlate with reduced disease-free survival in colorectal carcinoma patients.

Clin Cancer Res. 1997 Nov;3(11):1923-30.

PMID: 9815581 [PubMed - indexed for MEDLINE]

☐ **8:** Li YF, Cai DJ, Singh A.

Related Articles, Links

-  Technical hexachlorocyclohexane use trends in China and their impact on the environment.
Arch Environ Contam Toxicol. 1998 Nov;35(4):688-97.
PMID: 9776788 [PubMed - indexed for MEDLINE]
- ☐ **9:** [Forsberg G, Forsgren M, Jaki M, Norin M, Sterky C, Enhorning A, Larsson K, Ericsson M, Bjork P.](#) [Related Articles, Links](#)
Identification of framework residues in a secreted recombinant antibody fragment that control production level and localization in Escherichia coli.
J Biol Chem. 1997 May 9;272(19):12430-6.
PMID: 9139690 [PubMed - indexed for MEDLINE]
- ☐ **10:** [Carsberg CJ, Myers KA, Stern PL.](#) [Related Articles, Links](#)
 Metastasis-associated 5T4 antigen disrupts cell-cell contacts and induces cellular motility in epithelial cells.
Int J Cancer. 1996 Sep 27;68(1):84-92.
PMID: 8895545 [PubMed - indexed for MEDLINE]
- ☐ **11:** [Carsberg CJ, Myers KA, Evans GS, Allen TD, Stern PL.](#) [Related Articles, Links](#)
 Metastasis-associated 5T4 oncofoetal antigen is concentrated at microvillus projections of the plasma membrane.
J Cell Sci. 1995 Aug;108 (Pt 8):2905-16.
PMID: 7593330 [PubMed - indexed for MEDLINE]
- ☐ **12:** [Wrigley E, McGown AT, Rennison J, Swindell R, Crowther D, Starzynska T, Stern PL.](#) [Related Articles, Links](#)
 5T4 oncofetal antigen expression in ovarian carcinoma.
Int J Gynecol Cancer. 1995 Jul;5(4):269-274.
PMID: 11578488 [PubMed - as supplied by publisher]
- ☐ **13:** [Starzynska T, Marsh PJ, Schofield PF, Roberts SA, Myers KA, Stern PL.](#) [Related Articles, Links](#)
 Prognostic significance of 5T4 oncofetal antigen expression in colorectal carcinoma.
Br J Cancer. 1994 May;69(5):899-902.
PMID: 8180020 [PubMed - indexed for MEDLINE]
- ☐ **14:** [Myers KA, Rahi-Saund V, Davison MD, Young JA, Cheater AJ, Stern PL.](#) [Related Articles, Links](#)
 Isolation of a cDNA encoding 5T4 oncofetal trophoblast glycoprotein. An antigen associated with metastasis contains leucine-rich repeats.
J Biol Chem. 1994 Mar 25;269(12):9319-24.
PMID: 8132670 [PubMed - indexed for MEDLINE]
- ☐ **15:** [Connor ME, Davidson SE, Stern PL, Arrand JR, West CM.](#) [Related Articles, Links](#)
 Evaluation of multiple biologic parameters in cervical carcinoma: high macrophage infiltration in HPV-associated tumors.
Int J Gynecol Cancer. 1993 Mar;3(2):103-109.
PMID: 11578329 [PubMed - as supplied by publisher]
- ☐ **16:** [Starzynska T, Rahi V, Stern PL.](#) [Related Articles, Links](#)
 The expression of 5T4 antigen in colorectal and gastric carcinoma.
Br J Cancer. 1992 Nov;66(5):867-9.
PMID: 1419629 [PubMed - indexed for MEDLINE]
- ☐ **17:** [Schalow G.](#) [Related Articles, Links](#)
 Impulse pattern, innervation density and two point discrimination of skin and mucosal afferents in humans. Considerations for a sensory reinnervation of urinary bladder and anal canal in spinal cord lesions. IV (IV).
Electromyogr Clin Neurophysiol. 1992 Jun;32(6):259-85.
PMID: 1623843 [PubMed - indexed for MEDLINE]

☐ **18:** [Connor ME, Stern PL.](#)[Related Articles, Links](#)

Loss of MHC class-I expression in cervical carcinomas.
Int J Cancer. 1990 Dec 15;46(6):1029-34.
PMID: 2174412 [PubMed - indexed for MEDLINE]

☐ **19:** [Wauthier EL, Hanawalt PC, Vos JM.](#)[Related Articles, Links](#)

Differential repair and replication of damaged DNA in ribosomal RNA genes in different CHO cell lines.
J Cell Biochem. 1990 Jun;43(2):173-83.
PMID: 2380262 [PubMed - indexed for MEDLINE]

☐ **20:** [Boyle JM, Grzeschik KH, Heath PR, Morten JE, Stern PL.](#)[Related Articles, Links](#)

Trophoblast glycoprotein recognised by monoclonal antibody 5T4 maps to human chromosome 6q14-q15.
Hum Genet. 1990 Apr;84(5):455-8.
PMID: 2323778 [PubMed - indexed for MEDLINE]

Items 1 - 20 of 26

Page

1

of 2 [Next](#)

Display

[Summary](#)

Show

20



Sort by



Send to

[Write to the Help Desk](#)[NCBI](#) | [NLM](#) | [NIH](#)[Department of Health & Human Services](#)[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

May 22 2006 06:31:57



A service of the National Library of Medicine
and the National Institutes of Health

My NCBI [?](#)
[\[Sign In\]](#) [\[Register\]](#)

[All Databases](#)[PubMed](#)[Nucleotide](#)[Protein](#)[Genome](#)[Structure](#)[OMIM](#)[PMC](#)[Journals](#)[Books](#)

Search [PubMed](#) for [5T4 stem cell](#) [Go](#) [Clear](#) [Save Search](#)

☒ Limits[Preview/Index](#)[History](#)[Clipboard](#)[Details](#)

Limits: **Entrez Date to 2001/07/01**

See [Details](#). No items found.

[About Entrez](#)
[NCBI Toolbar](#)

[Text Version](#)

Entrez PubMed

[Overview](#)
[Help | FAQ](#)
[Tutorials](#)
[New/Noteworthy](#)
[E-Utilities](#)

PubMed Services

[Journals Database](#)
[MeSH Database](#)
[Single Citation Matcher](#)
[Batch Citation Matcher](#)
[Clinical Queries](#)
[Special Queries](#)
[LinkOut](#)
[My NCBI](#)

Related Resources

[Order Documents](#)
[NLM Mobile](#)
[NLM Catalog](#)
[NLM Gateway](#)
[TOXNET](#)
[Consumer Health](#)
[Clinical Alerts](#)
[ClinicalTrials.gov](#)
[PubMed Central](#)

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

May 22 2006 06:31:57



A service of the National Library of Medicine
and the National Institutes of Health

My NCBI
[Sign In] [Register]

All Databases

PubMed

Nucleotide

Protein

Genome

Structure

OMIM

PMC

Journals

Books

Search for [Save Search](#)

☒ Limits

Preview/Index

History

Clipboard

Details

Limits: **Entrez Date to 2001/07/01**

Display Show Sort by Send to

All: 7 Review: 0

Items 1 - 7 of 7

One page.

About Entrez
NCBI Toolbar

Text Version

Entrez PubMed
Overview
Help | FAQ
Tutorials
New/Noteworthy
E-Utilities

PubMed Services
Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
Special Queries
LinkOut
My NCBI

Related Resources
Order Documents
NLM Mobile
NLM Catalog
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

☐ 1: [King KW, Sheppard FC, Westwater C, Stern PL, Myers KA.](#)

Related Articles, Links

Organisation of the mouse and human 5T4 oncofoetal leucine-rich glycoprotein genes and expression in foetal and adult murine tissues.
Biochim Biophys Acta. 1999 Jun 9;1445(3):257-70.
PMID: 10366710 [PubMed - indexed for MEDLINE]

☐ 2: [Myers KA, Rahi-Saund V, Davison MD, Young JA, Cheater AJ, Stern PL.](#)

Related Articles, Links

Isolation of a cDNA encoding 5T4 oncofetal trophoblast glycoprotein. An antigen associated with metastasis contains leucine-rich repeats.
J Biol Chem. 1994 Mar 25;269(12):9319-24.
PMID: 8132670 [PubMed - indexed for MEDLINE]

☐ 3: [Boyle JM, Grzeschik KH, Heath PR, Morten JE, Stern PL.](#)

Related Articles, Links

Trophoblast glycoprotein recognised by monoclonal antibody 5T4 maps to human chromosome 6q14-q15.
Hum Genet. 1990 Apr;84(5):455-8.
PMID: 2323778 [PubMed - indexed for MEDLINE]

☐ 4: [Hole N, Stern PL.](#)

Related Articles, Links

Isolation and characterization of 5T4, a tumour-associated antigen.
Int J Cancer. 1990 Jan 15;45(1):179-84.
PMID: 2298503 [PubMed - indexed for MEDLINE]

☐ 5: [Jones H, Roberts G, Hole N, McDicken IW, Stern P.](#)

Related Articles, Links

Investigation of expression of 5T4 antigen in cervical cancer.
Br J Cancer. 1990 Jan;61(1):96-100.
PMID: 2404512 [PubMed - indexed for MEDLINE]

☐ 6: [Southall PJ, Boxer GM, Bagshawe KD, Hole N, Bromley M, Stern PL.](#)

Related Articles, Links

Immunohistological distribution of 5T4 antigen in normal and malignant tissues.
Br J Cancer. 1990 Jan;61(1):89-95.
PMID: 2404511 [PubMed - indexed for MEDLINE]

☐ 7: [Hole N, Stern PL.](#)

Related Articles, Links

A 72 kD trophoblast glycoprotein defined by a monoclonal antibody.
Br J Cancer. 1988 Mar;57(3):239-46.
PMID: 3355761 [PubMed - indexed for MEDLINE]

Display Show Sort by Send to

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

Department of Health & Human Services

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)



A service of the National Library of Medicine
and the National Institutes of Health

My NCBI
[\[Sign In\]](#) [\[Register\]](#)

[All Databases](#)[PubMed](#)[Nucleotide](#)[Protein](#)[Genome](#)[Structure](#)[OMIM](#)[PMC](#)[Journals](#)[Books](#)

Search for

☒ Limits☐ Preview/Index☐ History☐ Clipboard☐ Details

Limits: **Entrez Date to 2001/07/01**

Display Show Sort by Send to

All: 1 Review: 0

[About Entrez](#)
[NCBI Toolbar](#)

[Text Version](#)

[Entrez PubMed](#)

[Overview](#)
[Help | FAQ](#)
[Tutorials](#)
[New/Noteworthy](#)
[E-Utilities](#)

[PubMed Services](#)
[Journals Database](#)
[MeSH Database](#)
[Single Citation Matcher](#)
[Batch Citation Matcher](#)
[Clinical Queries](#)
[Special Queries](#)
[LinkOut](#)
[My NCBI](#)

[Related Resources](#)
[Order Documents](#)
[NLM Mobile](#)
[NLM Catalog](#)
[NLM Gateway](#)
[TOXNET](#)
[Consumer Health](#)
[Clinical Alerts](#)
[ClinicalTrials.gov](#)
[PubMed Central](#)

☐ 1: [Biochim Biophys Acta](#). 1999 Jun 9;1445(3):257-70.

[Related Articles](#), [Links](#)



Organisation of the mouse and human 5T4 oncofoetal leucine-rich glycoprotein genes and expression in foetal and adult murine tissues.

[King KW](#), [Sheppard FC](#), [Westwater C](#), [Stern PL](#), [Myers KA](#).

CRC Immunology Group, Cell and Tumour Biology Section, Paterson Institute for Cancer Research, Christie Hospital, Manchester M20 9BX, UK.

The human 5T4 oncotrophoblast leucine-rich glycoprotein may contribute to the process of placentation or metastasis by modulating cell adhesion, shape and motility. To understand better the role of 5T4 in development and cancer, the gene structure has been elucidated from both human and mouse genomic clones and mRNA expression has been studied in foetal and adult mouse tissues. The protein coding region is located within the second of two exons, the first exon comprising solely of 5'-untranslated region. Upstream there are no TATA or CAAT boxes, but there are a number of potential Sp1 binding sites. The murine and human proteins show a homologous domain organisation of the leucine rich repeats (LRR) and associated N- and C-terminal flanking regions, although the hydrophilic sequence which intervenes between the two LRR domains contains six additional amino acids in the mouse. The signal peptide, transmembrane region and cytoplasmic tail sequences are identical as are 6 out of the 7 potential N-linked glycosylation sites. Mouse 5T4 transcripts are abundant in placenta and also highly expressed in embryos while in adult tissues transcripts are restricted to brain and ovary. These patterns of expression and the genomic organisation are discussed in relation to possible function and other recently described LRR containing proteins.

PMID: 10366710 [PubMed - indexed for MEDLINE]

Display Show Sort by Send to

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

May 22 2006 06:31:57

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	"016686".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 13:51
L2	5	"188832".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 13:52
L3	6	"418938".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 13:53
L4	6	"653047".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 13:54
L5	0	"1081444".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 13:54
L6	8	"108144".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 13:57
L7	114	"Ward, Christopher".in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 13:59
L8	37274	"stem cell"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 13:59

EAST Search History

L9	347	5T4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 14:00
L10	18	I9 and "I10"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 14:01
L11	3	I9 and I7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 14:02
L12	3	I8 and I7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 14:04
L13	28	"Stern, Peter".in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 14:08
L14	34	"Carroll, Miles".in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 14:20
S1	2	"6312683".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 13:50

(FILE 'HOME' ENTERED AT 13:19:50 ON 24 MAY 2006)

FILE 'BIOSIS' ENTERED AT 13:20:01 ON 24 MAY 2006

L1 56 S 5T4
L2 68865 S STEM CELL
L3 1 S L1 (S) L2
L4 1 S L1 (L) L2
L5 314005 S EMBRYO?
L6 1 S L1 (S) L4
L7 3 S L1 (S) L5

FILE 'CAPLUS' ENTERED AT 13:23:55 ON 24 MAY 2006

L8 96 S L1
L9 4 S L3

FILE 'STNGUIDE' ENTERED AT 13:24:55 ON 24 MAY 2006

L10 0 S L7

FILE 'USPATFULL' ENTERED AT 13:26:38 ON 24 MAY 2006